

# DURATECH Galvalume (GA) Chimney System

## 6"

Description	Item Number	Pcs/ Ctn	Lbs/ Ctn	List Price Each
6" Chimney Pipe - GA	9402GA	1	2.8	\$49.21
9" Chimney Pipe - GA	9408GA	1	4.0	60.97
12" Chimney Pipe - GA	9403GA	1	5.6	71.99
18" Chimney Pipe - GA	9404GA	1	8.6	91.07
24" Chimney Pipe - GA	9405GA	1	10.5	115.34
36" Chimney Pipe - GA	9406GA	1	14.6	151.31
48" Chimney Pipe - GA	9407GA	1	20.1	187.30
Adjustable Pipe 14"-21"	9411			218.40
15° Elbow Kit - GA (includes 2 Elbows & 1 Elbow Strap)	9464GAKIT	1	9.0	284.67 pr
30° Elbow Kit - GA (includes 2 Elbows & 1 Elbow Strap)	9466GAKIT	1	9.0	337.96 pr
Elbow Strap	9460	1	1.6	64.62
Square Ceiling	9438A	1	8.5	146.17
Support Box - 11"1				
Square Ceiling	9438B	1	12.6	162.35
Support Box - 24"				
Square Ceiling	9438D	1	18.2	179.23
Support Box - 36"				
Round Ceiling	9445	1	4.0	66.84
Support Box				
Trim Collar	9345TR	1	1.9	46.25
for Round Support Box - 5" - 6" (round)				
Flat Ceiling Support Box	9444	1	9.3	99.16
Roof Support	9463	1	4.8	73.42
Trim Collar	9448A	1	2.2	58.00
for Roof Support 0/12 - 3/12				
Trim Collar	9448B	1	2.2	58.00
for Roof Support 4/12 - 6/12				
Trim Collar	9448C	1	2.2	58.00
for Roof Support 7/12 - 9/12				
Trim Collar	9448D	1	2.2	58.00
for Roof Support 10/12 - 12/12				
Wall Thimble	9443	1	5.6	74.17
Adjustable Tee	9472GA	1	10.1	94.01
Support Bracket - GA				
Standard Tee w/Cap GA	9475GA	1	1.3	188.79
Finishing Collar	9455	1	1.3	38.19
Anchor Plate	9441	1	2.2	60.23
Firestop Radiation Shield	9447	1	6.9	58.00
Attic Insulation Shield	9446	1	6.6	75.64
Storm Collar 5" - 6"	9359	10	6.0	13.94
Extended Roof Bracket	9465	1	10.8	103.57
Adjustable Roof Flashing 9449		4	10.4	77.10
0/12 - 6/12				
Adjustable Roof	9450	1	2.5	99.89
Flashing 7/12 - 12/12				
DSA Roof Flashing	9450DSA	1		171.22
Adjustable Roof	9452	1	10.8	148.38
Flashing 13/12 - 18/12				
Adjustable Roof	9481	1	10.1	202.00
Flashing 19/12 - 24/12				
Flat Roof Flashing	9451	8	10.5	103.57
DSA Adjustable	9449DSA	4	2.6	107.31
Roof Flashing 0/12-6/12				
Chimney Cap	9484	1	3.3	84.46
Adjustable Wall Strap - GA	9468GA	1	3.0	38.93
Spark Arrestor	9482			16.93

Refer to DuraTech Chimney catalog to select the appropriate component parts for your installation.

- 🔧 ADVL Close Clearance Adapter must be used when connection DVL pipe to a ceiling support box or wall thimble. When connection Dura-Black pipe, a Dura-Black Slip Connector must be used.
- 🔧 A Wall Thimble must be installed with an appropriate length of chimney pipe for all horizontal through the wall installations. To accommodate thicker walls, the telescoping pieces can be separated, and a field fabricated extension may be installed.
- 🔧 An Attic Insulation Shield must be used in all installations that pass through an attic, whether the attic is insulated or not.
- 🔧 A Firestop Radiation Shield must be used when a chimney passes through a floor or ceiling without a support box.

# DuraVent Double-Wall Insulated

## 8"

Description	Item Number	Pcs/ Ctn	Lbs/ Ctn	List Price Each
6" Chimney Pipe - GA	9602GA	1	3.8	\$56.54
9" Chimney Pipe - GA	9608GA	1	2.3	71.23
12" Chimney Pipe - GA	9603GA	1	6.3	85.93
18" Chimney Pipe - GA	9604GA	1	11.1	107.96
24" Chimney Pipe - GA	9605GA	1	12.6	139.55
36" Chimney Pipe - GA	9606GA	1	18.6	200.53
48" Chimney Pipe - GA	9607GA	1	25.2	230.64
Adjustable Pipe 14"-21"	9611			245.70
15° Elbow Kit - GA (includes 2 Elbows & 1 Elbow Strap)	9664GAKIT	1	10.4	358.09 pr
30° Elbow Kit - GA (includes 2 Elbows & 1 Elbow Strap)	9666GAKIT	1	9.5	408.50 pr
Square Ceiling	9638A	1	9.8	160.12
Support Box - 11"				
Square Ceiling	9638B	1	14.9	178.49
Support Box - 24"				
Square Ceiling	9638D	1	21.0	198.33
Support Box - 36"				
Round Ceiling	9645	1	4.3	72.72
Support Box				
Trim Collar	9545TR	1	2.1	47.72
for Round Support Box - 7" - 8" (round)				
Roof Support	9663	1	5.5	88.15
Trim Collar	9648A	1	2.3	59.48
for Roof Support 0/12 - 3/12				
Trim Collar	9648B	1	2.3	59.48
for Roof Support 4/12 - 6/12				
Trim Collar	9648C	1	2.2	59.48
for Roof Support 7/12 - 9/12				
Trim Collar	9648D	1	2.2	59.48
for Roof Support 10/12 - 12/12				
Wall Thimble	9643	1	6.9	94.73
Adjustable Tee	9672GA	1	12.9	136.62
Support Bracket - GA				
Standard Tee w/Cap GA	9675GA	1		264.45
Finishing Collar	9655	1	1.6	42.60
Anchor Plate	9641	1	2.5	84.46
Firestop Radiation Shield	9647	1	7.7	72.72
Attic Insulation Shield	9646	1	7.8	101.35
Storm Collar 7" - 8"	9559	10	7.0	15.41
Extended Roof Bracket	9665	1	14.0	109.44
Adjustable Roof Flashing	9649	4	26.6	96.20
0/12 - 6/12				
Adjustable Roof	9650	1	6.5	124.87
Flashing 7/12 - 12/12				
Chimney Cap	9684	1	4.9	151.31
Adjustable Wall Strap - GA	9668GA	1	2.2	50.66
Spark Arrestor	9482	1		16.93

# DIRECT VENT GS System

# DuraVent

## 4" x 6 5/8"

Description	Item #	Pcs/ Ctn	Lbs/ Ctn	LIST EACH
6" Pipe Length (galvanized)	46DVA-06	6	6.8	\$24.35
6" Pipe Length (black)	46DVA-06B	1	2.0	43.15
9" Pipe Length (galvanized)	46DVA-09	6	9.4	27.78
9" Pipe Length (black)	46DVA-09B	1	2.0	42.70
12" Pipe Length (galvanized)	46DVA-12	6	12.2	32.09
12" Pipe Length (black)	46DVA-12B	1	3.0	47.32
4X6 Diameter 16" Pipe Extension	46DVA-16A	6	2.7	28.28
4X6 Diameter 16" Pipe Extension Black	46DVA-16AB	1	3.0	41.70
18" Pipe Length (galvanized)	46DVA-18	6	17.0	38.12
18" Pipe Length (black)	46DVA-18B	1	3.0	53.36
24" Pipe Length (galvanized)	46DVA-24	6	22.6	43.81
24" Pipe Length (black)	46DVA-24B	1	5.0	61.33
36" Pipe Length (galvanized)	46DVA-36	6	32.8	53.50
36" Pipe Length (black)	46DVA-36B	1	6.0	74.89
48" Pipe Length (galvanized)	46DVA-48	6	43.1	63.94
48" Pipe Length (black)	46DVA-48B	1	8.1	89.52
60" Pipe Length (galvanized)	46DVA-60	6	55.8	85.21
60" Pipe Length (black)	46DVA-60B	1	8.1	119.29
8-1/2" Pipe Extension (galvanized)	46DVA-08A	6	8.0	23.84
8-1/2" Pipe Extension (black)	46DVA-08AB	1	2.0	36.62
4X6 Diamete 30~ Elbow	46DVA-E30	6	1.8	46.57
45° Elbow (galvanized)	46DVA-E45	6	9.0	43.27
45° Elbow (black)	46DVA-E45B	1	2.2	56.61
60° Non-Swivel Elbow (glvanized)	46DVA-E60	6	10.8	53.33
90° Elbow (galvanized)	46DVA-E90	6	12.5	50.62
90° Elbow (black)	46DVA-E90B	1	2.8	66.13
Elbow Strap	46DVA-ES	6	5.3	13.89
Round Ceiling Support/ Wall Thimble Cover	46DVA-DC	1	2.0	55.82

## 5" x 8"

Description	Item #	Pcs/ Ctn	Lbs/ Ctn	LIST EACH
6" Pipe Length (galvanized)	58DVA-06	4	6.0	\$28.65
9" Pipe Length (galvanized)	58DVA-09	4	8.0	32.69
12" Pipe Length (galvanized)	58DVA-12	4	10.7	37.75
24" Pipe Length (galvanized)	58DVA-24	4	30.4	51.53
36" Pipe Length (galvanized)	58DVA-36	4	28.4	62.93
48" Pipe Length (galvanized)	58DVA-48	4	38.4	75.23
60" Pipe Length (galvanized)	58DVA-60	4	38.4	100.24
8-1/2" Pipe Extension (galvanized)	58DVA-08A	4	10.8	28.08
16" Pipe Extension (galvanized)	58DVA-16A	4	10.8	35.35
45° Elbow (galvanized)	58DVA-E45	4	9.8	52.81
90° Elbow (galvanized)	58DVA-E90	4	12.0	61.50
Round Ceiling Support/ Wall Thimble Cover	58DVA-DC	1	1.8	64.15
Wall Thimble*	58DVA-WT	4	14.6	59.48
Wall Firestop	58DVA-WFS	4	11.1	56.06
Vinyl Siding Standoff	58DVA-VSS	1	5.0	89.75

## 4" x 6 5/8" Continued

Description	Item #	Pcs/ Ctn	Lbs/ Ctn	LIST EACH
Cathedral Ceiling Support Box	46DVA-CS	1	6.3	\$86.81
Wall Thimble*	46DVA-WT	6	19.6	43.81
Wall Firestop	46DVA-WFS	1	3.8	45.61
Vinyl Siding Standoff	46DVA-VSS	1	4.4	57.88
Ceiling Firestop	46DVA-FS	6	5.8	10.56
Attic Insulation Shield	46DVA-IS	1	5.0	77.02
Wall Strap	46DVA-WS	6	4.1	19.05
Restrictor Disk	46DVA-RD	3	0.3	4.48
Adjustable Roof Flashing 0/12 - 6/12	46DVA-F6	6	14.6	30.78
Steep Roof Flashing 7/12 - 12/12	46DVA-F12	6	18.0	58.39
DSA Flashing 0/12 - 6/12	46DVA-F6DS	6	14.6	58.07
Storm Collar	46DVA-SC	6	2.8	8.95
Sconce Termination Cap (aluminum)	46DVA-HSC	1	4.4	119.05
Square Horizontal Termination Cap (aluminum)	46DVA-HC	1	5.0	178.76
Snorkel Termination Cap 14"	46DVA-SNK14	1	10.9	476.94
Snorkel Termination Cap 36"	46DVA-SNK36	1	17.0	545.74
Horizontal Windguard	46DVA-WG	1	2.8	118.08
High-Wind Termination Cap	46DVA-VCH	1	2.0	72.06
Low-Profile Termination Cap (aluminum)	46DVA-VC	1	2.0	85.37
Extended Vertical Termination Cap	46DVA-VCE	1	3.2	155.02
<b>Co-Axial to Co-Linear Appliance Connector for Masonry Relining - Use 3" Flex Extension</b>				
Standard Appliance Connector	46DVA-GCL	1	2.6	138.82
Appliance Adapter	46DVA-ADP	1	3.0	45.83
Co-Linear Flex Connectors	46DVA-ADF	2	0.6	32.83

May Be Required in Canada.

## 5" x 8" Continued

Description	Item #	Pcs/ Ctn	Lbs/ Ctn	LIST EACH
Ceiling Firestop	58DVA-FS	4	5.6	\$13.20
Attic Insulation Shield	58DVA-IS	1	8.5	96.27
Wall Strap	58DVA-WS	4	3.4	21.70
Adjustable Roof Flashing 0/12 - 6/12	58DVA-F6	6	22.0	56.82
Steep Roof Flashing 7/12 - 12/12	58DVA-F12	6	24.6	100.76
DSA Flashing 0/12 - 6/12	58DVA-F6DS	6	22.0	76.40
Storm Collar	58DVA-SC	6	3.3	14.64
High Wind Sconce Cap	58DVA-HSCH			212.94
Snorkel Termination Cap 14"	58DVA-SNK14	1	14.0	524.65
Snorkel Termination Cap 36"	58DVA-SNK36	1	17.3	600.31
High-Wind Termination Cap	58DVA-VCH	1	2.8	85.59
Low-Profile Termination Cap (aluminum)	58DVA-VC	1	2.2	97.60

# DIRECT VENT PRO

## Direct Vent System

### 4" x 6 5/8" Kits

Description	Item #	Pcs/ Ctn	Lbs/ Ctn	LIST EACH
Horizontal Termination Kit A (includes: 90° Elbow [black], Ceiling Support/Wall Thimble Cover, 24" Pipe Length [black], 8-1/2" Pipe Extension [black])	46DVA-KHA	1	16.1	\$271.53
Horizontal Termination Kit A (includes: 90° Elbow [black], Wall Thimble, Ceiling Support/Wall Thimble Cover, 24" Pipe Length [black], 8-1/2" Pipe Extension [black])	46DVA-KHC	1	4.0	320.82
Chimney Liner Termination Kit (includes: Termination Connector, Flashing)	46DVA-GK	1	5.6	149.81
Co Linear 'Masonry Chimney Conversion Kit (includes: 2 flex runs 35ft, and high wind cap)	46DVA-CL33	1	22.0	304.50
4 x 6 Termination Kit (includes 3' and 4" flex)	46DVA-CL34	1	22.0	304.50
Masonry Chimney Conversion Kit (includes: Cap)	46DVA-KMC	1	6.6	223.40
Chimney Conversion Kit A (includes: Cap Adapter, Retro Connector)	46DVA-KCA	1	2.5	185.40
4 x 6 Flex Kit w/Prairie Cap (includes 2 35' flex lengths)	46DVA-CL33P			336.00
4 x 6 Flex Kit w/Prairie Cap (includes 1 35' flex length and 1 4 flex length)	46DVA-CL34P			336.00
Chimney Conversion Kit B (includes: Cap Adapter, Retro Connector)	46DVA-KCB	1	2.6	185.40
Chimney Conversion Kit C (includes: Cap Adapter, Retro Connector)	46DVA-KCC	1	3.1	185.40

## DURAFLEX AL Gas Relining System

### 3"

Description	Item #	Pcs/ Ctn	Lbs/ Ctn	LIST EACH
DuraFlex AL Kit - 3" x 25' (includes: DuraFlex AL Length, DuraFlex AL Cap, DuraFlex Top Plate, and DuraFlex Mortar Sleeve)	3DFA-25K	1	9.4	\$167.78
DuraFlex AL Kit - 3" x 35' (includes: DuraFlex AL Length, DuraFlexAL Cap, DuraFlex Top Plate, and DuraFlex)	3DFA-35K	1	11.0	197.79
DuraFlex AL Length - 3" x 35'	3DFA-35	1	8.2	130.94

### 4"

Description	Item #	Pcs/ Ctn	Lbs/ Ctn	LIST EACH
DuraFlex AL Kit - 4" x 25' (includes: DuraFlex AL Length, DuraFlex AL Cap, DuraFlex Top Plate, and DuraFlex Mortar Sleeve)	4DFA-25K	1	11.7	\$178.69
DuraFlex AL Kit - 4" x 35' (includes: DuraFlex AL Length, DuraFlexAL Cap, DuraFlex Top Plate, and DuraFlex)	4DFA-35K	1	14.9	218.26
DuraFlex AL Length - 4" x 35'	4DFA-35	1	11.1	184.16

# DuraVent



**DIRECT VENT GS WARRANTY** - Simpson Dura-Vent warrants Direct Vent GS systems for a period of 10 years from date of installation. Warranty includes all component fittings. All warranties, whether expressed or implied, shall be limited to the replacement (exclusive of installation costs) of pipe lengths and components found to be defective under this warranty, and shall be conditional upon compliance with the manufacturer's recommended installation and maintenance procedures and intended use of the product. All products must be maintained by periodic inspection and cleaning as needed, including vent exposed to weather containing corrosive elements.



*\*May be required in Canada. Please consult your stove manufacturer's installation instructions for specific requirements.*

## Aluminum Gas Relining

DuraFlex Kits Include:  
Termination Cap, Universal Adapter/Flex Connector,  
Mortar Sleeve, Flashing and Flex Lengths



# PELLET VENT PRO Chimney System


# DuraVent

3"		Pcs/ Ctn	Lbs/ Ctn	LIST EACH
Description	Item #			
6" Straight Length Pipe	3PVP-06	6	4.1	\$22.29
12" Straight Length Pipe	3PVP-12	6	7.9	31.94
24" Straight Length Pipe	3PVP-24	6	15.4	42.19
36" Straight Length Pipe	3PVP-36	6	21.1	57.86
60" Straight Length Pipe	3PVP-60	6	37.5	82.70
12" Pipe Extension	3PVP-12A	6	8.5	43.40
18" Pipe Extension	3PVP-18A	6	8.5	66.66
60" Flex Pipe	3PVP-60F	6	17.0	142.15
Appliance Adapter	3PVP-AD	6	3.0	17.35
Appliance Adapter/Increaser 3" - 4"	3PVP-X4AD	6	5.4	63.41
Appliance Adapter/Increaser 3" - 4" (black)	3PVP-X4ADB	6	5.4	82.58
45° Elbow	3PVP-E45	6	5.0	56.42
90° Elbow	3PVP-E90	6	7.1	70.53
Single Tee w/Clean-Out Tee Cap 4" diameter w /3"	3PVP-T 3PVP-TADX4	6	10.8	94.52
Adapter Branch		6	10.0	100.74
Vertical Cap	3PVP-VC	6	7.0	52.44
Horizontal Cap	3PVP-HC	6	5.4	36.03
Wall Thimble (for 1" clearance)	3PVP-WT	6	16.6	60.27
3" Wall Thimble Air Intake Kit (includes: Wall Thimble [for 1" clearance]; 2" AL Flex; [2] hose clamps)	3PVP-WTI	6	16.6	140.94
Ceiling Support Firestop Spacer (for 1" clearance)	3PVP-FS	6	10.3	46.17
Wall Strap	3PVP-WS	6	5.6	21.58
Cathedral Ceiling Support Box	3PVP-CS	1	6.1	47.01
House Shield	3PVP-HS	6	5.7	24.10
Storm Collar	3PVP-SC	6	1.7	5.17
Adjustable Roof Flashing 0/12-6/12	3PVP-F6	6	11.8	18.07
Reduction Collar	3PVP-RC	6	2.6	12.89
Increaser 3" - 4"	3PVP-X4	6	6.5	37.12
Chimney Adapter - 6"	3PVP-X6	6	11.4	76.92
Chimney Adapter - 8"	3PVP-X8	6	13.8	95.00

4"		Pcs/ Ctn	Lbs/ Ctn	LIST EACH
Description	Item #			
6" Straight Length Pipe	4PVP-06	6	5.6	\$23.86
6" Straight Length Pipe (black)	4PVP-06B	6	5.6	38.94
12" Straight Length Pipe	4PVP-12	6	10.7	34.11
12" Straight Length Pipe (black)	4PVP-12B	6	10.7	53.88
24" Straight Length Pipe	4PVP-24	6	20.0	53.28
24" Straight Length Pipe (black)	4PVP-24B	6	20.0	72.69
36" Straight Length Pipe	4PVP-36	6	29.0	69.20
36" Straight Length Pipe (black)	4PVP-36B	6	29.0	85.24
60" Straight Length Pipe	4PVP-60	6	46.5	93.79
60" Straight Length Pipe (black)	4PVP-60B	6	40.5	112.96
12" Pipe Extension	4PVP-12A	6	10.8	47.98
12" Pipe Extension (black)	4PVP-12AB	6	10.8	68.11
18" Pipe Extension	4PVP-18A	6	10.8	73.78
18" Pipe Extension (black)	4PVP-18AB	6	10.8	104.77
60" Flex Pipe	4PVP-60F	6	24.0	203.40
Appliance Adapter	4PVP-AD	6	3.5	18.80
Appliance Adapter (black)	4PVP-ADB	6	3.5	28.20
Female Flex Adapter	4PVP-ADFF	6	3.0	18.07
Male Flex Adapter	4PVP-ADFM	6	3.0	18.07
45° Elbow	4PVP-E45	6	7.4	63.90
45° Elbow (black)	4PVP-E45B	6	7.4	79.45
90° Elbow	4PVP-E90	6	10.1	88.74
90° Elbow (black)	4PVP-E90B	6	10.1	103.44
Single Tee w/Clean-Out Tee Cap	4PVP-T	6	14.9	98.86
Single Tee w/Clean-Out Tee Cap (black)	4PVP-TB	6	14.9	109.47
Increaser Tee w/Clean-Out Tee Cap	4PVP-T3	6	10.4	96.20
Vertical Cap	4PVP-VC	6	7.3	55.93
Horizontal Cap	4PVP-HC	6	5.4	43.67
Wall Thimble (for 1" clearance)	4PVP-WT	6	16.5	64.74
4" Wall Thimble Air Intake Kit (includes: Wall Thimble [for 1" clearance]; 2" AL Flex; [2] hose clamps)	4PVP-WTI	6	16.6	151.43
Ceiling Support Firestop Spacer (for 1" clearance)	4PVP-FS	6	11.5	53.88
Ceiling Support Firestop Spacer (for 3" clearance)	4PVP-FS3	6	11.5	53.88
Wall Strap	4PVP-WS	6	5.1	23.38
Adjustable Wall Strap	4PVP-WSA	6	5.1	25.43
Cathedral Ceiling Support Box	4PVP-CS	1	6.3	41.71
House Shield	4PVP-HS	6	6.0	23.38
Storm Collar	4PVP-SC	6	1.7	6.02
Attic Insulation Shield	4PVP-IS	1	4.5	48.58
Adjustable Roof Flashing	4PVP-F6	6	12.0	20.13
Tall Cone Roof Flashing	4PVP-FF	6	17.3	26.63
DSA Roof Flashing 7/12 - 12/12	4PVP-F12DS			57.88
Reduction Collar	4PVP-RC	6	2.5	12.89
Chimney Adapter - 6"	4PVP-X6	6	11.8	80.77
Chimney Adapter - 8"	4PVP-X8	6	8.8	97.78



**Precision  
Twist-Lock  
Connections**



**Double-Wall  
Air Insulated  
Design**



# DuraVent

## DURA-BLACK Stovepipe

### Single-Wall

6"

Description	Item #	Pcs/ Ctn	Lbs/ Ctn	LIST EACH
Slip Connector	1670	1	2.3	\$29.59
Telescoping Length 44" - 68"	1647	1	7.4	85.61
Snap-Lock Adapter	6689	1	0.8	49.80
12" Single-Wall Black Pipe	1612	1	2.1	21.91
24" Single-Wall Black Pipe	1624	1	3.9	24.53
48" Single-Wall Black Pipe	1648	1	7.4	41.35
Tee w/Clean-Out Cap	1655	1	2.9	64.61
45° Black Elbow	1645	1	1.7	22.09
90° Black Elbow	1690	1	2.0	27.75
Damper Section	1605	1	2.0	33.89
Oval-to-Round Adapter	1675	1	2.1	23.35
Double-Skirted Stovetop Adapter	1672	1	1.1	24.93
Stovetop Adapter	1677	1	0.8	19.57
Trim Collar	1668	1	0.4	12.88

### Single-Wall

8"

Description	Item #	Pcs/ Ctn	Lbs/ Ctn	LIST EACH
Slip Connector	1870	1	3.0	\$34.05
Snap-Lock Adapter	6889	1	1.3	61.05
Slip Increaser 6" - 8"	1860	1	3.2	42.83
12" Single-Wall Black Pipe	1812	1	3.1	22.61
24" Single-Wall Black Pipe	1824	1	5.0	28.63
48" Single-Wall Black Pipe	1848	1	9.3	46.66
Increaser 7" - 8"	1867	1	1.8	32.24
Tee w/Clean-Out Cap	1855	1	4.9	90.02
45° Black Elbow	1845	1	2.4	26.40
90° Black Elbow	1890	1	3.3	36.27
Damper Section	1805	1	3.2	39.62
Oval-to-Round Adapter	1875	1	2.8	27.79
Double-Skirted Stovetop Adapter	1872	1	1.6	29.42
Stovetop Adapter	1877	1	1.2	27.13
Trim Collar	1868	1	0.7	12.86

📌 24 Gauge Steel Construction

📌 Drip-Free Design

📌 18" Clearance to Combustibles

# DuraVent

## DVL CLOSE CLEARANCE Connector

### Double-Wall

6"

Description	Item #	Pcs/ Ctn	Lbs/ Ctn	LIST EACH
DVUDuraBlack Chimney Adapter	8674	6	2.0	\$23.94
6" Double-Wall Black Pipe	8606	1	1.9	46.57
12" Double-Wall Black Pipe	8612	1	3.2	49.78
18" Double-Wall Black Pipe	8618	1	4.7	59.18
24" Double-Wall Black Pipe	8624	1	6.1	81.99
48" Double-Wall Black Pipe	8648	1	11.7	126.05
6" Double-Wall Adjustable Black Pipe	8685	1	1.9	50.62
12" Double-Wall Adjustable Black Pipe	8687	1	3.2	61.82
Telescoping Length 29" - 46"	8646	1	12.5	149.37
Telescoping Length 40" - 68"	8647	1	17.7	198.18
45° Double-Wall Black Elbow	8645	1	2.5	64.91
90° Double-Wall Black Elbow	8690	1	3.3	97.25
Increaser 5" - 6"	8667	1	2.3	77.02
Double-Wall Black Tee w/Clean-Out Cap	8655	1	4.9	84.05
Adapter/Damper Section	8679	1	2.4	60.25
Adapter Section No Damper	8680	1	2.0	44.06



📌 .012 Stainless Steel Inner Liner

📌 Drip-Free Design

📌 No Cutting or Crimping

📌 6" Clearance to Walls

📌 8" Clearance to Ceilings

📌 UL Listed to 2100° F



# DURA/PLUS 2100° HT Chimney Systems

# DuraVent

## Triple-Wall Insulated

6"				
Description	Item #	Pcs/ Ctn	Lbs/ Ctn	LIST EACH
6" DURAPLUS 2100° HT				
6" Chimney Pipe	9006	1	3.5	\$61.73
9" Chimney Pipe	9019	1	5.1	72.62
12" Chimney Pipe	9014	1	6.7	82.88
24" Chimney Pipe	9021	1	11.8	122.32
36" Chimney Pipe	9017	1	17.9	173.08
15° Elbow Kit - GA	9064KIT	1	10.0	290.51
(includes: 2 Elbows & 1 Elbow Strap)				
30° Elbow Kit - GA	9066KIT	1	12.0	386.39
(includes: 2 Elbows & 1 Elbow Strap)				
Elbow Strap	9060	2	4.7	36.33
Round Ceiling Support Box	9045N	1	8.1	86.69
Square Ceiling Support	9048AN	1	9.1	93.34
Box & Trim Collar - 11" tall				
Square Ceiling Support	9048BN	1	13.7	104.58
Box & Trim Collar - 24" tall				
Square Ceiling Support	9048DN	1	18.8	156.14
Box & Trim Collar - 36" tall				
Flat Ceiling Support Box (unfinished)	9047N	1	6.0	59.30
Wall Thimble	9043N	1	7.7	75.35
Tee w/Cap	9067	1	10.5	234.73
Tee Support Bracket	9072	1	8.1	98.43
Wall Strap	9068	2	3.9	30.41
Firestop Radiation Shield	9044	1	7.1	63.12
Attic Insulation Shield	9946	1	8.2	81.47
Close Clearance Shield - 36"	9980A	1 set	12.6	78.13
Flat Roof Flashing	9051V	1	6.4	69.73
(tall cone) ventilated				
Adjustable Flashing	9049V	1	4.0	64.43
0/12 - 6/12 ventilated				
Adjustable Flashing	9050V	1	7.3	108.76
7/12 - 12/12 ventilated				
Adjustable Flashing	9081 V	1	14.0	160.79
13/12 - 18/12 ventilated				
Storm Collar	9959	10	10.1	13.82
Extended Roof Bracket	9061	1	2.6	115.08
Chimney Cap	9084	1	4.1	83.60
6" DuraPlus Through-the-Wall Kit	9088	1	40.0	673.73
(includes DVUDuraBlack Chimney Adapter, Snap-Lock Adapter, 9' DuraPlus Chimney Pipe, Wall Thimble, Tee w/Cap, 12] Adjustable Wall Strap, Tee Support Bracket, Chimney Cap)				

8"				
Description	Item #	Pcs/ Ctn	Lbs/ Ctn	LIST EACH
8" DURAPLUS 2100° HT				
6" Chimney Pipe	9206	1	4.4	\$97.32
9" Chimney Pipe	9219	1	6.3	110.57
12" Chimney Pipe	9214	1	8.2	131.55
24" Chimney Pipe	9221	1	15.0	178.96
36" Chimney Pipe	9217	1	21.9	252.43
15° Elbow Kit - GA	9264KIT	1	6.6	365.68
(includes: 2 Elbows & 1 Elbow Strap)				
30° Elbow Kit - GA	9266KIT	1	6.4	469.47
(includes: 2 Elbows & 1 Elbow Strap)				
Round Ceiling Support Box	9245N	1	9.0	116.39
Square Ceiling Support	9248AN	1	9.3	126.42
Box & Trim Collar - 11" tall				
Square Ceiling Support	9248BN	1	14.5	137.57
Box & Trim Collar - 24" tall				
Square Ceiling Support	9248DN	1	19.4	214.01
Box & Trim Collar - 36" tall				
Flat Ceiling Support Box (unfinished)	9247N	1	6.1	79.60
Wall Thimble	9243N	1	7.5	97.01
Tee w/Cap	9267	1	13.5	336.58
Tee Support Bracket	9272	1	9.6	122.30
Wall Strap	9268	2	8.5	38.22
Firestop Radiation Shield	9244	1	6.8	76.30
Attic Insulation Shield	9946	1	8.2	81.47
Flat Roof Flashing	9251V	1	6.6	104.66
(tall cone) ventilated				
Adjustable Flashing	9249V	1	4.5	89.02
0/12 - 6/12 ventilated				
Adjustable Flashing	9250V	1	10.0	148.60
7/12 - 12/12 ventilated				
Storm Collar	9959	10	10.1	13.82
Extended Roof Bracket	9261	1	3.7	121.61
Chimney Cap	9284	1	5.3	125.61
Spark Arrestor	9482	1		16.93

