



# Tyvek®

## The DuPont Tyvek Weatherization System

ITEM #	SIZE	DESCRIPTION	Rolls/Pallet	PRICE
<b>HomeWrap™</b>			ea./ctn	
TY18100	18" x 100'	Tyvek HeaderWrap	12	\$33.28 ea.
TY165	3' x 165'	Tyvek HomeWrap	25	90.77 ea.
TY200	5' x 200'	Tyvek HomeWrap	40	181.71 ea.
TY9100	9' x 100'	Tyvek HomeWrap	56	159.07 ea.
TY9150	9' x 150'	Tyvek HomeWrap	48	236.48 ea.
TY10150	10' x 150'	Tyvek HomeWrap	48	272.45 ea.
<b>StuccoWrap™</b>				
TYSW5200	5' x 200'	Tyvek StuccoWrap	36	200.46 ea.
<b>DrainWrap™</b>				
TYDW9125	9' x 125'	Tyvek DrainWrap	48	251.88 ea.
<b>Tyvek RoofLiner™ - 30Year Warranty</b>				
TYRL4250	48" x 250'	Tyvek RoofLiner	30	220.00 ea.
<b>CommercialWrap™</b>				
TYCW10125	10' x 125'	Tyvek CommercialWrap	48	341.04 ea.
TYCW5200	5' x 200'	Tyvek CommercialWrap	40	272.77 ea.
TYCW10125D	10' x 125'	Tyvek CommercialWrap	48	387.20 ea.
TYCW5200D	5' x 200'	Tyvek CommercialWrap	40	316.22 ea.



## The DuPont Tyvek Flashing System

<b>FlexWrap™ NF</b>				
TYFW6NF	6" x 75'	Tyvek FlexWrap	4/Ctn	177.42 ea.
TYFW9NF	9" x 75'	Tyvek FlexWrap	4/Ctn	221.78 ea.
<b>StraightFlash™</b>				
TYSF4150	4" x 150'	Tyvek StraightFlash	4/Ctn	132.62 ea.
TYSF6125VF	6" x 125'	Tyvek StraightFlash	4/Ctn	168.09 ea.
TYSF9125	9" x 125'	Tyvek StraightFlash	4/Ctn	232.47 ea.
<b>FlashingTape™</b>				
TYFT4100	4" x 100'	Tyvek FlashingTape	4/Ctn	58.82 ea.
TYFT6100	6" x 100'	Tyvek FlashingTape	4/Ctn	78.97 ea.
TYFT9100	9" x 100'	Tyvek FlashingTape	4/Ctn	100.73 ea.
<b>ContractorTape™</b>				
TYTAPE/B	2" x 55 yds	Tyvek Tape	36/ctn	13.73 ea.
TYTAPE/B3	3" x 55 yds	Tyvek Tape	24/ctn	23.10 ea.
TYTDISPENSER		Tape Dispenser	1	13.27 ea.





## The DuPont Tyvek Weatherization System

ITEM #	SIZE	DESCRIPTION	Rolls/Pallet	PRICE
<b>ThermaWrap™</b> TYTW5150	5' x 150'	Tyvek ThermaWrap	36	\$195.23 each
<b>Metalized Tape™</b> TYMT2100	2" x 100'	Tyvek MetalizedTape	12/Case	43.58 each
<b>AtticWrap™</b> TYAW5164	5' x 164'	Tyvek AtticWrap	36	314.73 each
<b>RafterCap™</b> TYRC4	1-1/2" x 4'	Tyvek RafterCap	50/box	278.96 box
<b>Fasteners &amp; Guns</b>				
TY136044	7/8" Cap Nails for Gun		2000box	47.92 box
TY136074	1-1/4" Cap Nails for Gun		2000/box	50.45 box
TY136011	Crossfire Cap Stapler			390.00 each
TYAS97305	Rebuild Kits for Crossfire Gun			28.00 each
TYWC2	Wrap Caps 1-3/4" (Tyvek) (135333)		1000/box	153.38 box
TYMS784C	Wrap Caps 2" No Screws (MF784C)		2000/box	153.38 box
<b>Stinger Cap Hammer and Staples</b>				
136400	CH38 Cap Hammer			88.73 each
136420	3/8" Staples with Caps (2016CT)			47.39 box

### NEW

Dupont Window and Door Foam	PRICE
TYFOAM 21.1 oz Dupont Foam (1508961)	19.67
TYFOAMGUN Foam Applicator Gun (1413066)	99.82
TYGUNCLEANER Gun Cleaner (1427512)	18.74
TYCONTACT 13 oz. Pro Spray Adhesive (1418662)	11.49



- DuPont™ Window & Door Foam is a single-component, minimal expansion and low pressure polyurethane foam packaged in a pressurized metal container. It is specifically designed for use with the DuPont™ Tyvek® Weatherization Systems. (12 Month Shelf Life)
- OSI™ PU Foam Applicator Gun Cleaner works with OSI™ PU Foam Applicator Gun and most other PU foam applicator guns. Use to clean OSI™ PU Foam Applicator Gun. Removes uncured polyurethane foam- Evaporates quickly.
- OSI™ PU Foam Applicator Gun works with DuPont™ Window & Door Foam and most other PU foam brands. Detachable screw-on tip. Large comfort trigger. Instant cut off and flow control.

### Local Support & Services by 8 Tyvek Weatherization Specialists

- ◆ Literature ◆ POP Displays for Show Room & Show Home ◆
- ◆ Training for Builders, Retailers, Architects, Installers, Code Officials ◆
- ◆ Field Support & Project Audits ◆ Trade Show Programs ◆ AIA Training Programs ◆

[www.tyvek.com](http://www.tyvek.com)

# Tyvek®

## PRODUCT SPECIFICATIONS

Properties	Method	Tyvek® HomeWrap™	Tyvek® StuccoWrap™	Tyvek® CommercialWrap™	Building Paper	#15 Felt
Air Penetration	Air-Ins (cfm/ft <sup>2</sup> @75 Pa)	.007	—	—	—	—
	Gurley Hill (TAPPI-T-460) (sec/100cc)	300	300	>1500	—	—
	ASTM E-1677	Type 1	Type 1	Type 1	N/A	N/A
Water Vapor	ASTM E-96 Method B (g/m <sup>2</sup> -24 hrs) (perms)	400	350	200	35	54
		58	50	28	5	8
Water Penetration Resistance	AATCC-127 (cm)	210	210	280	90-120	52
Basis Weight	TTAPPI T-41 (oz/yd <sup>2</sup> )	1.8	2.1	2.7	—	—
Breaking Strength	ASTM D-882 Method A (lbs/in)	30/30	30/30	38/35	>20/>20	33/11
Tear Resistance (trapezoid)	ASTM D-882 (lbs)	6/6	7/9	12/10	2 to 3	3 to 4
Surface Burning Characteristics	ASTM D-117 Flaming Spread	Class A	Class A	Class A	—	—
	Index Smoke Developed Value	Class A	Class A	Class A	—	—

- Tyvek® Tech Talks Keep Builders Up-To-Date in Product and Industry Information... **News They Can Use**
- Video Shows Builders How to Maximize Energy Savings While Minimizing Labor Costs
- Builders Brochure Shows Builders How Tyvek Homewrap adds Value and Sales Appeal to Every Home They Build
- Installation Guidelines Give Builders Helpful Tips
- Product Testing Details Available
- Architect Binder
- Spec Data Sheet
- MSDS Sheets
- ARCAT Page
- Commercial Brochure
- Code Approvals
- Installation Sheets
- Installation Video
- Website [www.tyvek.com](http://www.tyvek.com)